

HYPowerTM

THE POWER PEDESTAL COMPANY



POWERPORT[®]



ENERGIMATE[®]



FIREPEDESTAL



LIGHTCENTER

PLUS SUBSTATIONS, TRANSFORMERS,
PANELS, WIRING AND CABLE
WITH ELECTRICAL DESIGN SERVICES



MARINAS



RV PARKS



HOME

HYPOWER

THE POWER PEDESTAL COMPANY


THE POWER YOU NEED



FLEXIBILITY

BE PREPARED FOR PRESENT AND FUTURE NEEDS WITH PATENTED POWERSNAP TECHNOLOGY


- **PowerSnap**® panels include breakers and receptacles all in one unit
- Easier and safer repairs
- Simple upgrades for more power — no need to rewire or replace a unit
- Save time and money on annual maintenance inspections



DURABILITY

HYPOWER POWER PEDESTALS MEETS OR EXCEEDS INDUSTRY STANDARDS

- No dents or scratches that rust with impact-resistant, non-conductive UV protected polycarbonate cases
- Wiring that exceeds industry requirements utilizing pneumatically secured connectors
- Brass inserts in all high-stress areas to prevent structural failures



DESIGN

SAVE TIME AND MONEY WHILE IMPROVING CUSTOMER SERVICE LEVELS

- HyPower pedestals are 100 percent UL certified as well as ADA, NEC, NFPA and NEMA code compliant
- Offers safer, more durable rounded corners on units
- Standard electrical that can normally be sourced locally
- Reduced exposed connectors — no visible full-length seams



Our marina has been through three hurricanes. Thanks to the PowerSnap base we were able to remove our pedestals and save them from being damaged. We also really like being able to change power from slip to slip by just snapping in a different panel.

— BRIAN W., SPORTSMAN MARINA
ORANGE BEACH, ALABAMA





- Our optional **PowerSnap**® "Hurricane" Weather Base allows you to lift off and remove the head for safe storage to protect your investment
- **PowerSnap**® panels can be removed for winterization, during floods, hurricanes and other severe weather events
- Quickly get back up and operating after inclement weather



POWERPORT®

FLEXIBLE POWER FOR ONE OR TWO SLIPS

- **PowerSnap**® panels offer 20 ampere receptacles to 100 ampere



Head snaps out for safe storage



ENERGYMATE®

BIG IN FEATURES...SMALL IN SIZE

- Receptacles from 20A to 50A using the same **PowerSnap**® panels as the PowerPort® for added flexibility



I am very pleased with my HyPower EnergyMate. It has been under water during two hurricanes and one Nor'easter. When the storms passed, everything came apart easily for cleaning. Even all of my breakers worked! The HyPower advantage is everything plugs into the base where all the permanent wiring is located.

— PHIL R., SATISFIED CUSTOMER



FIREPEDESTAL

BE PREPARED FOR EMERGENCIES

- Available on a stand or mounted to a roof support

NOTE: Life ring and 10# fire extinguisher not included

LIGHTCENTER

LIGHTING WHERE YOU NEED IT

- Efficient, cost-saving LED lighting saves you money

HYDROLOCKER

SIMPLY THE BEST LOOKING, STRONGEST DOCK LOCKER AVAILABLE


- Create a space-saving utility center when combined with an EnergyMate®



As a dock builder we find that the flexibility of the HyPower PowerSnap technology makes it easier to work with our clients, finding them the right solution. With the quality of their units HyPower is the value choice for our customer's projects.

— MARK W., HDB MARINE

- Substations, panels and transformers
- Wiring and cables
- Technology-leading power pedestals

[illegible]

Wire Lengths	6	6	6	4	4	4
Size	3/C GGC	4/C G	3/C W	3/C GGC	4/C G	3/C W
Avg. diam. (mm)	26.7	27.9	25.7	30.2	32.3	26.5
Wt / foot (lbs./ft)	0.632	0.91	0.7	1.013	1.38	1
Length total	125	0	0	150	0	0
Order Length						
Size	1/0	1/0	1/0	2/0	2/0	2/0
Type	3/C GGC	4/C G	3/C W	3/C GGC	4/C G	3/C W
Avg. diam. (mm)	41.9	45.5	41.4	44.5	49	44
Wt / foot (lbs./ft)	2.3	2.81	2.1	2.66	3.25	2.6
Length total	1079	0	0	1067	0	0
Order Length						
Size	250	250	250	350	350	350
Type	3/C GGC	4/C G	3/C W	3/C GGC	4/C G	3/C W
Avg. diam. (mm)	60.7	67.6	60.7	68.1	75.7	67.5
Wt / foot (lbs./ft)	4.8	6.1	4.4	6.3	8.2	5.9
Length total	2765	0	0	0	0	0
Order Length						
Size	8	8	8	10	10	10
Type	3/C GGC	4/C G	3/C W	50	500W	
Avg. diam. (mm)	24.6	25.1	23.1		9.1	
Wt / foot (lbs./ft)	0.63	0.75	0.54		0.07	
Length total	0	0	0	0	0	0
Order Length						

* based on pedestal purchases

THE HYPOWER[®] ADVANTAGE



PowerSnap[®] Tested

What does PowerSnap tested mean to you? Quality control is a priority in our development and manufacturing process. Each unit is tested with power to provide our customers with the highest level of confidence in their power solution.



TotalMarina.com

Shop our online store for the parts you need. It's a fast and easy way to make sure you get the right parts for your power pedestal equipment — for docks, RV parks and home use.




PowerSnap[®] Exchange

What if your needs change within the first 90 days of purchase? HyPower offers an industry exclusive exchange program. Standard built PowerSnap panels may be exchanged for the power needed to meet the needs of your marina or RV project.



Metering

Need to reduce your expenses by billing back actual utility dollars to the end user? Ask about electric and water meters to increase your revenue, adding value to the services you offer.



Personalized

Create identity by selecting from three standard cap colors (green, blue and white) on your PowerPort[®]. The option to add a custom logo is available on most units.



Customer Support

You can buy with the confidence that we are here to help you at any point. Give us a call Monday through Friday from 8 a.m. until 5 p.m. CST at 1-800-825-3379.

HYPOWER[™]

THE POWER PEDESTAL COMPANY

PowerPedestal.com

+001 918.341.6811 | Fax: 918.341.1178

Email: sales@powerpedestal.com

Technical assistance: support@powerpedestal.com

915 West Blue Starr Drive ■ Claremore, OK 74017 USA

HyPower[®] is a member of these National Associations: ARVC, AMI, NMMA
HyPower[®] is a member of these State Associations: CAHM&PC, KMA, MAT, MRA,
AAHPA, TMA, TACO, ACE, SCMA, PCCHM&PM, NCA, OMA
Patent 6,844,716



07F-0087V

